5. Government Order No. EDS. 511-12—Elecl. 234-52-34, dated the 1st May 1954 revising the rates and conditions for power supply to Irrigation Pumping Sets.

ORDER No. EDS. 2921-30—ELECL. 206-52-22, DATED BANGALORE, THE 26TH AUGUST 1954.

The proposals of the Chief Electrical Engineer are sanctioned. An illustrative statement of the amount leviable from applicants is appended to this order.

D. K. SRINIVASACHAR,
Secretary to Government,
Electrical Department.

APPENDIX.

Statement.

Capacity of the Pump	Minimum amount leviable per annum at the revised rate for power supply to I.P. Sets with meter hire of Rs. 6 per annum	
	In the case of Food Crops at 12 annas per H.P.	In the case of Commercial Crops at Rs. 2 per H.P.
3 H.P.	27+6=33	72+6= 78
5 H.P.	45+6=51	120+6=126
7 H.P.	63+6=69	168+6=174
10 H.P. and so on	90+6=96	240+6=246

Printed by the Director of Printing, Stationery and Publications at the Government Press, Bangalore.

NOTICE

There will be NO ISSUE of the MYSORE GAZETTE on the 7th October 1954, on account of Dasara.

30th September 1954.

D. S. GURUBASAVAPPA,
Compiler, "Mysore Gazette."